

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL KARNDEAN PRESSURE SENSITIVE ADHESIVE	Date of Assessment : 15/12/2022	Reference : CPL - KARNDEAN PRESSURE SENSITIVE ADHESIVE
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		

R or H Descriptors:	S or P Descriptors:
Additional Information	
Workspace Exposure Limit (WEL) No WEL stated on Safety Data Sheet	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Liquid of Low volatility	
is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. First aid measures, Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention if any discomfort continues.
2. Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing
3. Eye contact Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4. Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
5. Personal precautions Wear protective gloves, eye and face protection.
6. Environmental precautions Do not discharge into drains or watercourses or onto the ground.
7. Methods for cleaning up Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely
8. Usage precautions Provide adequate ventilation. Good personal hygiene procedures should be implemented.
9. Advice on general occupational hygiene Wash at the end of each work shift and before eating, smoking and using the toilet.
10. Storage precautions Protect from freezing and direct sunlight. Keep away from food, drink and animal feeding stuffs. Store in tightly-closed, original container.
11. Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

12. Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

13. Conditions to avoid Avoid freezing. Avoid exposure to high temperatures or direct sunlight.

14. Disposal methods Collect and place in suitable waste disposal containers and seal securely. Dispose of waste product or used containers in accordance with local regulations

15. EWC Code: 08 04 10 Description: waste adhesives and sealants other than those mentioned in 08 04 09 Entry Type: Mirror Non-hazardous Take all empty packaging back to region and dispose of in Drum A

Documents Associated with this Risk Assessment : Kardean Pressure Sensitive Adhesive SDS.pdf(Safety Data Sheet) Kardean Pressure Sensitive Adhesive_MSDS_V10_01.04.2020.pdf(Safety Data Sheet)

Review Date : 23/12/2023