

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL - Styccobond F49 Base Part A	Date of Assessment : 15/12/2022	Reference : CPL - Styccobond F49 Base Part A
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		



R or H Descriptors: H315 Causes skin irritation H317 May cause an allergic skin reaction H319 Causes serious eye irritation	S or P Descriptors: P264 Wash ... thoroughly after handling P280 Wear protective gloves/protective clothing/eye protection/face protection P313 Get medical advice/attention P302+352 IF ON SKIN; Wash with soap and water
Additional Information P264 Wash contaminated skin thoroughly after handling.	
Workspace Exposure Limit (WEL) No WEL stated on Safety Data Sheet	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group C Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Liquid of Low volatility	
Engineering Controls is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. All empty packaging to be returned to regions and disposed of in Drum A
2. First aid measures Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention if any discomfort continues
3. Skin contact Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention if irritation persists after washing.
4. Eye contact Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

- | |
|---|
| 5. Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire |
| 6. Personal precautions Wear protective gloves, eye and face protection. |
| 7. Environmental precautions Do not discharge into drains or watercourses or onto the ground |
| 8. Methods for cleaning up Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. |
| 9. Usage precautions Provide adequate ventilation. Good personal hygiene procedures should be implemented. |
| 10. Advice on general occupational hygiene Wash at the end of each work shift and before eating, smoking and using the toilet. |
| 11. Appropriate engineering controls Provide adequate ventilation. |
| 12. Eye/face protection Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible |
| 13. Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. |
| 14. Conditions to avoid Avoid freezing. Avoid exposure to high temperatures or direct sunlight. Does not contain any substances known to be carcinogenic. |
| 15. Disposal methods Collect and place in suitable waste disposal containers and seal securely. Dispose of waste product or used containers in accordance with local regulations |

Documents Associated with this Risk Assessment : Styccobond-F49-Base-iss-8-1.pdf(Safety Data Sheet)

Review Date : 15/12/2023