

# Designer Contracts Ltd

## Risk Assessment

Reference: GEN/FN

Title	General - Fitting Nosings	Date Of Assessment	Mon 01 Jul 2024
Site	Designer Contracts Ltd	Location	All sites
Risk Assessor	Laura Cross	Assisted By	Antony Maidens
Non-Employees Involved	-	People At Risk	Employees, Contractors
Task Description	Fitting Nosing Risk Assessment		
Review Date	Tue 01 Jul 2025	Reviewer	Laura Cross

### Hazards

Hazard	General H&S
Risk Of Harm	General H&S
Existing Control Measures	<ol style="list-style-type: none"> <li>1. Always wear appropriate PPE.</li> <li>2. Ensure work area is controlled and free from trip hazards.</li> <li>3. Remove all waste materials from work area.</li> <li>4. Be aware of first aid facilities.</li> </ol>

Hazard	Flying Particles
Risk Of Harm	Flying Particles
Existing Control Measures	<ol style="list-style-type: none"> <li>1. Protective eyewear to be worn whilst in use.</li> </ol>

<b>Hazard</b>	Electrical
<b>Risk Of Harm</b>	Electrical
<b>Existing Control Measures</b>	<ol style="list-style-type: none"> <li>1. Ensure the correct drill is used for the job and it has been PAT Tested</li> <li>2. Use 110v or battery operated tools where possible</li> <li>3. Ensure drills and drill bits are in good condition.</li> </ol>

<b>Hazard</b>	Knife and Saw
<b>Risk Of Harm</b>	Cuts & Lacerations
<b>Existing Control Measures</b>	<ol style="list-style-type: none"> <li>1. Ensure operatives hand and body parts are kept clear of moving blade during operation</li> <li>2. Ensure constant eye contact is made with saw and item being sawn as distractions can cause you to loose control of equipment</li> <li>3. Condition of blades and knives to be inspected prior to use.</li> <li>4. Cut away from body and not across or on any body parts.</li> <li>5. Store in a protective holder or tool box when not in use</li> <li>6. Correct use of required PPE at all times.</li> </ol>

<b>Hazard</b>	Hammer / Mallet
<b>Risk Of Harm</b>	Strike from hammer
<b>Existing Control Measures</b>	<ol style="list-style-type: none"> <li>1. Check general state of hammer before use. Attention to be paid to handle condition and grip. Head of hammer is firmly attached to handle.</li> <li>2. Keep work area well lit and free from debris.</li> <li>3. Select a hammer that is comfortable to use and is the right size and weight for the task</li> <li>4. Be aware of your surroundings and other workers.</li> </ol>

<b>Hazard</b>	Electric Drill
<b>Risk Of Harm</b>	Danger of penetrating electricity, water or gas. Entanglement.
<b>Existing Control Measures</b>	<ol style="list-style-type: none"><li>1. Keep work area clean and well lit</li><li>2. Check for damage before using. Do not use if damaged</li><li>3. Regular inspection and cleaning should be carried out to ensure the tool is in good working order</li><li>4. PAT testing to be carried out as required</li></ol>