

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL - PROFLOW RAPID PART B	Date of Assessment : 18/06/2024	Reference : CPL - PROFLOW RAPID PART B
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		

R or H Descriptors:	S or P Descriptors:
Additional Information	
Workspace Exposure Limit (WEL) No WEL stated on Safety Data Sheet	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Liquid of Low volatility	
is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. Description of first aid measures In case of skin contact: Wash with plenty of water and soap. In case of eyes contact: Wash immediately with water.
2. In case of Ingestion: Do not induce vomiting, get medical attention showing the SDS and label hazardous. In case of Inhalation: Remove casualty to fresh air and keep warm and at rest.
3. Suitable extinguishing media: Water. Carbon dioxide (CO2). Extinguishing media which must not be used for safety reasons: None in particular.
4. Accidental release measures; Personal precautions;For non emergency personnel: Wear personal protection equipment. Remove persons to safety
5. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains
6. Methods and material for containment and cleaning up Suitable material for taking up: absorbing material, organic, sand Wash with plenty of water.
7. Precautions for safe handling Avoid contact with skin and eyes, inhalation of vapours and mists. Do not eat or drink while working.
8. Waste treatment methods Recover if possible. In so doing, comply with the local and national regulations currently in force. Disposal through discharge into wastewater is not permitted
9. A waste code according to the European List of Wastes (LoW) cannot be specified, due to dependence on the usage. Contact an authorized waste disposal service. All empty packaging to be returned to Region and disposed of in DRUM B
10. waste code 08 04 09 ("waste adhesives and sealants containing organic solvents or other hazardous substances").

Documents Associated with this Risk Assessment : KA0474_GB_Proflow Rapid (Latex).pdf(SDS)

Review Date : 18/06/2025