

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL Stopgap 400	Date of Assessment : 12/11/2024	Reference : CPL - Stopgap 400
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		



R or H Descriptors:	S or P Descriptors:
H317 May cause an allergic skin reaction H318 Causes serious eye damage	P264 Wash ... thoroughly after handling P280 Wear protective gloves/protective clothing/eye protection/face protection P313 Get medical advice/attention P302+352 IF ON SKIN; Wash with soap and water P305+351+338 IF IN EYES; Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing P501 Dispose of contents/container to ...xxxxx
Additional Information P264 P264 Wash contaminated skin thoroughly after handling P501 P501 Dispose of contents/container in accordance with national regulations	
Workspace Exposure Limit (WEL) WEL (8h) 4 mg/m ³	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group C Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Solid of High dustiness	
Containment is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. Always use in a well ventilated area.

2. First Aid Measures: By inhalation: This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.
3. By skin contact: May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet
4. Skin contact Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention if any discomfort continues. Eye contact Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.
5. By ingestion/aspiration: Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion
6. Personal precautions Avoid inhalation of dust. Avoid contact with skin and eyes
7. Environmental precautions Do not discharge into drains or watercourses or onto the ground
8. Methods and material for containment and cleaning up: It is recommended: Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal
9. Usage precautions Avoid handling which leads to dust formation. Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using the product.
10. Storage precautions Store in tightly-closed, original container. Keep separate from food, feedstuffs, fertilisers and other sensitive material. Store in a dry place.
11. Exposure controls: A.- Individual protection measures, such as personal protective equipment B.- Respiratory protection Pictogram PPE Remarks Compulsory use of face mask Filter mask for particles Replace when an increase in resistance to breathing is observed
12. Eye/face protection If there is a risk of splashing, wear chemical resistant goggles or visor approved to BS EN166.
13. Eye and face protection Pictogram PPE Remarks Mandatory face protection Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
14. Waste treatment methods: Code Description Waste class 10 13 11 wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10 Non dangerous
15. Product - Cement that has exceeded its shelf life: 10 13 99 Product - Unused residue or dry spillage: 10 13 06 Product - after addition of water, hardened: 10 13 14, 17 01 01 all empty packaging should be returned to regions and disposed of in drum B

Documents Associated with this Risk Assessment : Stopgap-400-SDS.pdf(Safety Data Sheet) Stopgap-400 SDS.pdf(Safety Data Sheet) Stopgap-400 SDS.pdf(SDS V 9)

Review Date : 30/11/2025