

HAZARDOUS SUBSTANCES RISK ASSESSMENT

Designer Contracts Ltd

Unit 8, Church View, Coney Green, Chesterfield, S45 9HA

CPL - ULTRAFLOOR STICK IT 640	Date of Assessment : 02/01/2025	Reference : CPL - ULTRAFLOOR STICK IT 640
Risk Assessor : Laura Cross	Risk Assessor :	
Other People Involved in Making This Assessment : Antony Maidens		

R or H Descriptors:	S or P Descriptors:
Additional Information	
Workspace Exposure Limit (WEL) No WEL stated on Safety Data Sheet	

Primary route(s) of entry : Absorption, Ingestion, Inhalation	
This is a Group Substance.	The quantity used per batch or work period is: Medium (1-1000kg or 1-1000L)
The Substance is a Liquid of High volatility	
is the control measure appropriate to control the health risks from the use of this substance. Health Surveillance is not required.	

Existing Control Measures
1. First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. First-aid measures after skin contact : Wash skin with plenty of water. First-aid measures after eye contact
2. First-aid measures after eye contact Rinse eyes with water as a precaution. First-aid measures after ingestion Call a poison center or a doctor if you feel unwell
3. Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
4. Methods for cleaning up : Take up liquid spill into absorbent material. Other information : Dispose of materials or solid residues at an authorized site.
5. Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Hygiene measures : Do not eat, drink or smoke when using product. Always wash hands after handling the product.
6. Storage conditions:Store in a well-ventilated place. Keep cool. Protect against frost.Storage temperature:15 – 25 °C
7. Appropriate engineering controls: Ensure good ventilation of the work station.
8. Eye protection: Safety glasses Skin and body protection: Wear suitable protective clothing
9. Hand protection: Protective gloves Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment
10. Environmental exposure controls: Avoid release to the environment
11. Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

12. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment All Empty packaging to be returned to region and disposed of in Drum B

Documents Associated with this Risk Assessment : ULTRAFLOOR-STICK-IT-640-001190.pdf(Safety Data Sheet)

Review Date : 02/01/2026