

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL – STOPGAP P121

Title	CPL – STOPGAP P121	Date Of Assessment	Mon 02 Jun 2025
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	–		
Review date	Sun 07 Jun 2026	Reviewer	Laura Cross

Substance

Substance Name	STOPGAP P121		
Supplier	F. Ball and Co. Ltd		
Date of Safety Data Sheet (SDS)	Tue 06 Jun 2023		
Details of Use	Binding agent. For professional users only.		
Are there any hazard symbols on the SDS?	No		
Hazard Codes & Statements	Code	Description	
Does this substance have workplace exposure limits?	No		
Is Health Surveillance required?	No		
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)		

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	N/A
Control system	N/A

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	<p>Description of first aid measures:</p> <p>Consult a doctor in case of discomfort showing the SDS for the product.</p> <p>By inhalation:</p> <p>In case of symptoms, move the person affected into fresh air.</p>
	<p>By skin contact:</p> <p>In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet</p> <p>By eye contact:</p> <p>Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.</p>
	<p>By ingestion/aspiration:</p> <p>In case of consumption in large quantities, it is recommended to seek medical assistance</p>
	<p>Suitable extinguishing media:</p> <p>Product is non-flammable, with a low risk of fire due to the flammability characteristics of the product in normal conditions of</p>

Existing Control Measures	Description
	<p>storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use</p> <p>any type of extinguishing agent can be used (ABC Powder, water,...)</p> <p>Unsuitable extinguishing media:</p> <p>Non-applicable</p>
	<p>Environmental precautions:</p> <p>This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.</p> <p>Methods and material for containment and cleaning up:</p> <p>It is recommended:</p> <p>Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents.</p>
	<p>A.- General precautions for safe use</p> <p>Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights.</p> <p>Maintain order, cleanliness and dispose of using safe methods</p> <p>B.- Technical recommendations for the prevention of fires and explosions</p> <p>It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products.</p>
	<p>C.- Technical recommendations on general occupational hygiene</p> <p>Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.</p> <p>D.- Technical recommendations to prevent environmental risks</p> <p>It is not necessary to take special measures to prevent environmental risks.</p>
	<p>Conditions for safe storage, including any incompatibilities:</p> <p>A.- Specific storage requirements</p> <p>Minimum Temp.: 5 °C</p> <p>Maximum Temp.: 30 °C</p> <p>B.- General conditions for storage</p> <p>Avoid sources of heat, radiation, static electricity and contact with food.</p>

Existing Control Measures	Description
	<p>Always use in a well ventilated area</p> <p>Respiratory protection</p> <p>The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.</p>
	<p>Specific protection for the hands</p> <p>Protective gloves against minor risks</p> <p>Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+ A1:2018</p>
	<p>Eye and face protection</p> <p>Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer's instructions.</p> <p>Use if there is a risk of splashing.</p>
	<p>Waste treatment methods:</p> <p>It is not possible to assign a specific code, as it depends on the intended use by the user Non-hazardous</p> <p>Return all empty containers back to region to be dispose of in Drum B</p>

Past reviews

Review date	Reviewer	Comments
-------------	----------	----------

Attachments

Stopgap 121 Acrylic Primer FBall.pdf – Mon 02 Jun 2025