

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL – STOPGAP P131

| | | | |
|------------------------|------------------------|--------------------|-----------------|
| Title | CPL – STOPGAP P131 | Date Of Assessment | Mon 02 Jun 2025 |
| Site | Designer Contracts Ltd | Location | All Sites |
| Risk Assessor | Laura Cross | Assisted by | Antony Maidens |
| Non-Employees Involved | – | | |
| Review date | Sun 07 Jun 2026 | Reviewer | Laura Cross |

Substance

| | | |
|---|---|-------------|
| Substance Name | STOPGAP PI31 | |
| Supplier | F. Ball and Co. Ltd. | |
| Date of Safety Data Sheet (SDS) | Tue 06 Jun 2023 | |
| Details of Use | Binding agent. For professional users only. | |
| Are there any hazard symbols on the SDS? | No | |
| Hazard Codes & Statements | Code | Description |
| Does this substance have workplace exposure limits? | No | |
| Is Health Surveillance required? | No | |
| Routes of entry into body | Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in) | |

Assessment

| | |
|---|------------------------------|
| How much is being used per batch? | Medium (1-1000KG or 1-1000L) |
| Is the substance use a solid or liquid? | Liquid |
| How volatile is the liquid? | Low |
| Hazard group | N/A |
| Control system | N/A |

Hazardous substances control system

| | |
|-----------------|-----------------|
| Control Measure | Further Details |
|-----------------|-----------------|

Control measures

| Existing Control Measures | Description |
|---------------------------|--|
| | <p>FIRST AID MEASURES Description of first aid measures: The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.</p> |
| | <p>By inhalation: This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.</p> |
| | <p>By skin contact: In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet</p> |

| Existing Control Measures | Description |
|---------------------------|---|
| | <p>By eye contact: Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case removal could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS for the product.</p> |
| | <p>By ingestion/aspiration: In case of consumption, seek immediate medical assistance showing the SDS for the product.</p> |
| | <p>Extinguishing media: Suitable extinguishing media: Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. Unsuitable extinguishing media: Non-applicable</p> |
| | <p>Environmental precautions: This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water. 6.3 Methods and material for containment and cleaning up: It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents</p> |
| | <p>Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. Technical recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product</p> |
| | <p>Conditions for safe storage, including any incompatibilities: A.- Specific storage requirements Minimum Temp.: 5 °C Maximum Temp.: 30 °C</p> |

| Existing Control Measures | Description |
|---------------------------|---|
| | B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. |
| | Always use in a well ventilated area. Respiratory protection The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded |
| | Specific protection for the hands – Protective gloves against minor risks Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018 |
| | Eye and face protection – Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing. |
| | Waste treatment methods: Description – It is not possible to assign a specific code, as it depends on the intended use by the user. Waste Class – Non-hazardous |
| | All empty packaging to be returned to regions and disposed of in drum B |

Past reviews

| Review date | Reviewer | Comments |
|-------------|----------|----------|
|-------------|----------|----------|

Attachments

Stopgap 131 Primer FBall SDS.pdf – Mon 02 Jun 2025