

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL – Styccobond F3

Title	CPL – Styccobond F3	Date Of Assessment	Wed 04 Jun 2025
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	–		
Review date	Thu 04 Jun 2026	Reviewer	Laura Cross

Substance

Substance Name	Styccobond F3	
Supplier	F. Ball and Co. Ltd.	
Date of Safety Data Sheet (SDS)	Thu 16 May 2024	
Details of Use	Adhesive. For professional users only.	
Are there any hazard symbols on the SDS?	No	
Hazard Codes & Statements	Code	Description
Does this substance have workplace exposure limits?	No	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	N/A
Control system	N/A

## Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

### Control measures

Existing Control Measures	Description
	<p>Description of first aid measures:</p> <p>Consult a doctor in case of discomfort showing the SDS for the product.</p> <p>By inhalation:</p> <p>In case of symptoms, move the person affected into fresh air.</p> <p>By skin contact:</p> <p>In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet</p>
	<p>By eye contact:</p> <p>Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product.</p> <p>By ingestion/aspiration:</p> <p>In case of consumption in large quantities, it is recommended to seek medical assistance.</p>
	<p>Suitable extinguishing media:</p> <p>Product is non-flammable, with a low risk of fire due to the flammability characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage</p>

Existing Control Measures	Description
	<p>or use</p> <p>any type of extinguishing agent can be used (ABC Powder, water,...)</p> <p>Unsuitable extinguishing media:</p> <p>Non-applicable</p>
	<p>Environmental precautions:</p> <p>This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.</p> <p>Methods and material for containment and cleaning up:</p> <p>It is recommended:</p> <p>Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents.</p>
	<p>Precautions for safe handling:</p> <p>A.- General precautions for safe use</p> <p>Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights.</p> <p>Maintain order, cleanliness and dispose of using safe methods</p>
	<p>B.- Technical recommendations for the prevention of fires and explosions</p> <p>It is recommended to transfer at a slow speed to avoid the creation of electrostatic charges that could affect flammable products. Consult section 10 for conditions and materials that should be avoided.</p> <p>C.- Technical recommendations on general occupational hygiene</p> <p>Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.</p> <p>D.- Technical recommendations to prevent environmental risks</p> <p>It</p>
	<p>Conditions for safe storage, including any incompatibilities:</p> <p>A.- Specific storage requirements</p> <p>Minimum Temp.: 5 °C</p> <p>Maximum Temp.: 30 °C</p> <p>B.- General conditions for storage</p> <p>Avoid sources of heat, radiation, static electricity and contact with food</p>

Existing Control Measures	Description
	<p>Always use in a well ventilated area</p> <p>Respiratory protection</p> <p>The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded</p>
	<p>Specific protection for the hands Protective gloves against minor risks</p> <p>Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+ A1:2018</p>
	<p>Eye and face protection Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer's instructions.</p> <p>Use if there is a risk of splashing.</p>
	<p>Waste treatment methods</p> <p>Code 08 04 10</p> <p>Description waste adhesives and sealants other than those mentioned in 08 04 09</p> <p>Waste class Non-hazardous</p>
	<p>Waste management (disposal and evaluation):</p> <p>Consult the authorized waste service manager on the assessment and disposal operations in accordance The Waste (England &amp; Wales) Regulations 2011, 2011 No. 988. As under 15 01 of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue.</p> <p>Waste should not be disposed of to drains.</p>
	<p>All empty packaging to be returned to region and disposed of in Drum A</p>

#### Past reviews

Review date	Reviewer	Comments
-------------	----------	----------

#### Attachments

