

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL – STYCCOBOND F73 PLUS

Title	CPL – STYCCOBOND F73 PLUS	Date Of Assessment	Fri 18 Jul 2025
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	–		
Review date	Sat 18 Jul 2026	Reviewer	Laura Cross

Substance

Substance Name	STYCCOBOND F73 PLUS	
Supplier	F. Ball and Co. Ltd.	
Date of Safety Data Sheet (SDS)	Tue 06 Jun 2023	
Details of Use	Adhesive. For professional users only.	
Are there any hazard symbols on the SDS?	No	
Hazard Codes & Statements	Code	Description
Does this substance have workplace exposure limits?	No	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	N/A
Control system	N/A

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	<p>Description of first aid measures: The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.</p>
	<p>By inhalation: This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.</p>
	<p>By skin contact: This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor</p>

Existing Control Measures	Description
	<p>By eye contact: This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.</p>
	<p>By ingestion/aspiration: In case of consumption, seek immediate medical assistance showing the SDS for the product.</p>
	<p>Suitable extinguishing media: Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.</p> <p>Unsuitable extinguishing media: IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.</p>
	<p>For non-emergency personnel: Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting al</p>
	<p>Environmental precautions: This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water. Methods and material for containment and cleaning up: It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents.</p>
	<p>A.- General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights.</p>

Existing Control Measures	Description
	<p>Maintain order, cleanliness and dispose of using safe methods</p>
	<p>B.- Technical recommendations for the prevention of fires and explosions Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges</p>
	<p>C.- Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D.- Technical recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product</p>
	<p>Conditions for safe storage, including any incompatibilities: A.- Specific storage requirements Minimum Temp.: 5 °C Maximum Temp.: 30 °C B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food.</p>
	<p>Always use in a well ventilated area. Respiratory protection The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.</p>
	<p>Specific protection for the hands Pictogram PPE Remarks Mandatory hand protection Chemical protective gloves Replace the gloves at any sign of deterioration. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.</p>
	<p>Eye and face protection Pictogram PPE Remarks Mandatory face</p>

Existing Control Measures	Description
	<p>protection Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.</p>
	<p>Waste treatment methods: Code: 16 03 06. Description: organic wastes other than those mentioned in 16 03 05. Waste Class - Non Hazardous All empty packaging to be returned to region and disposed of in Drum B</p>

Past reviews

Review date	Reviewer	Comments

Attachments

F73PLUS_SafetySheet_GB.pdf - Fri 18 Jul 2025