

# Designer Contracts Ltd

## Hazardous Substances Risk Assessment

Reference:CPL-Flexyfix

Title	CPL-Flexyfix	Date Of Assessment	Tue 19 Aug 2025
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	-		
Review date	Wed 19 Aug 2026	Reviewer	Laura Cross

### Substance

Substance Name	Flexyfix	
Supplier	Rewmar Limited	
Date of Safety Data Sheet (SDS)	Mon 04 Nov 2019	
Details of Use	Sealing Compound Adhesive	
Are there any hazard symbols on the SDS?	No	
Hazard Codes & Statements	Code	Description
Does this substance have workplace exposure limits?	No	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

### Assessment

How much is being used per batch?	Small (<1KG or 1L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	N/A
Control system	N/A

## Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

### Control measures

Existing Control Measures	Description
	<p>Description of first aid measures:</p> <p>General: If you feel unwell, seek medical advice.</p> <p>After inhalation: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.</p> <p>After skin contact: Rinse with water. Soap may be used. Take victim to a doctor if irritation persists.</p> <p>After eye contact: Rinse with water. Take victim to an ophthalmologist if irritation persists.</p> <p>After ingestion: Rinse mouth with water. Consult a doctor/medical service if you feel unwell.</p>
	<p>Suitable extinguishing media: Adapt extinguishing media to the environment Unsuitable extinguishing media None</p>
	<p>Environmental precautions: Contain leaking substance. Use appropriate containment to avoid environmental contamination</p>

Existing Control Measures	Description
	<p>Methods and material for containment and cleaning up: Cover spill with inert material, e.g.: sand, earth, vermiculite. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water.</p>
	<p>Precautions for safe handling; Observe normal hygiene standards. Safe storage requirements: Store in a dry area. Store at room temperature. Meet the legal requirements. Max. storage time: 2 year(s). Keep container tightly closed. Do not eat, drink or smoke during work.</p>
	<p>Always use in a well ventilated area; Respiratory protection not required in normal conditions Hand Protection - Gloves Eye protection not required in normal conditions</p>
	<p>Provisions relating to waste Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.</p>
	<p>Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC). 08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable.</p>
	<p>Disposal methods Recycle/reuse. Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment..</p>
	<p>Packaging/Container Waste material code packaging (Directive 2008/98/EC). 15 01 02 (plastic packaging). All empty packaging to be returned to region and disposed of in Drum A</p>

**Past reviews**

Review date	Reviewer	Comments
-------------	----------	----------

**Attachments**

CPL - Flexyfix Adhesive - Safety Data Sheet.pdf - Tue 19 Aug 2025