

# Designer Contracts Ltd

## Hazardous Substances Risk Assessment

Reference:CPL - FBall Stogap 400

Title	CPL - FBall Stogap 400	Date Of Assessment	Thu 06 Nov 2025
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	-		
Review date	Mon 30 Nov 2026	Reviewer	Laura Cross

### Substance

Substance Name	FBall Stogap 400		
Supplier	F. Ball and Co. Ltd.		
Date of Safety Data Sheet (SDS)	Tue 06 Jun 2023		
Details of Use	Cementitious coating. For professional users only.		
Are there any hazard symbols on the SDS?	Yes		
Associated hazards	Hazard		
		Caution	
		Corrosive	
Hazard Codes & Statements	Code	Description	

	H318	Causes serious eye damage
	H317	May cause an allergic skin reaction
<b>Precaution Codes &amp; Statements</b>	P264	Wash hands [and ...] thoroughly after handling
	P280	Wear protective gloves/protective clothing/eye protection.
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P313	Get medical advice/attention
	P501	Dispose of contents/ container in accordance with local/regional/national/international regulation.
	<b>Does this substance have workplace exposure limits?</b>	Yes
<b>Short term</b>	No Short term limits on safety data sheet	
<b>Long term</b>	4 mg/m <sup>3</sup>	
<b>Is Health Surveillance required?</b>	No	
<b>Routes of entry into body</b>	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

#### Assessment

<b>How much is being used per batch?</b>	Medium (1-1000KG or 1-1000L)
<b>Is the substance use a solid or liquid?</b>	Solid
<b>How dusty is the solid?</b>	High
<b>Hazard group</b>	C

Control system	Engineering Controls
----------------	----------------------

**Hazardous substances control system**

Control Measure	Further Details
-----------------	-----------------

**Control measures**

Existing Control Measures	Description
	<p>Description of first aid measures:            The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product</p>
	<p>By inhalation:            This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.</p>
	<p>By skin contact:            May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet</p>
	<p>By eye contact:            Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes.            If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.</p>

Existing Control Measures	Description
	<p>By ingestion/aspiration: Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.</p>
	<p>Suitable extinguishing media: Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.</p>
	<p>Environmental precautions: This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water. Methods and material for containment and cleaning up: It is recommended: Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal</p>
	<p>Precautions for safe handling: A.- General precautions for safe use Use in ventilated areas. Avoid the build up of dust B.- Technical recommendations for the prevention of fires and explosions Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.</p>
	<p>C.- Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D.- Technical recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product</p>
	<p>Conditions for safe storage, including any incompatibilities: A.- Specific storage requirements Minimum Temp.: 5 °C Maximum Temp.: 30 °C B.- General conditions for storage</p>

Existing Control Measures	Description
	<p>Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 Keep the container tightly sealed and protected from open air and humidity.</p>
	<p>Exposure controls:Respiratory protection Pictogram PPE Remarks Compulsory use of face mask Filter mask for particles Replace when an increase in resistance to breathing is observed.</p>
	<p>Specific protection for the hands Pictogram PPE Remarks Mandatory hand protection Chemical protective gloves Replace the gloves at any sign of deterioration.</p>
	<p>Eye and face protection Pictogram PPE Remarks Mandatory face protection Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.</p>
	<p>Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container.</p>

Existing Control Measures	Description
	<p>Waste treatment methods: Code – 10 13 11. Description – wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13</p> <p>10. Waste class – Non-hazardous.</p> <p>Product – Cement that has exceeded its shelf life: 10 13 99</p> <p>Product – Unused residue or dry spillage: 10 13 06</p> <p>Product – after addition of water, hardened: 10 13 14, 17 01 01</p> <p>All empty packaging to be returned to region and disposed of in Drum B</p>

**Past reviews**

Review date	Reviewer	Comments

**Attachments**

CPL – Stopgap 400 FBall – Safety Data Sheet.pdf – Thu 06 Nov 2025