

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL-BSCUPA

Title	CPL - Bostik Screedmaster C500 Ultimate Part A	Date Of Assessment	Mon 08 Dec 2025
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	-		
Review date	Tue 08 Dec 2026	Reviewer	Laura Cross

Substance

Substance Name	Bostik Screedmaster C500 Ultimate Part A		
Supplier	Bostik Limited		
Date of Safety Data Sheet (SDS)	Thu 18 Jul 2024		
Details of Use	Cement Plasters and floor equalisers		
Are there any hazard symbols on the SDS?	Yes		
Associated hazards	Hazard		
	 Caution		
Hazard Codes & Statements	Code	Description	
	H317	May cause an allergic skin reaction	

Precaution Codes & Statements	P101	If medical advice is needed, have product container or label at hand
	P102	Keep out of reach of children
	P261	Avoid breathing vapours
	P280	Wear protective gloves and eye/face protection
	P302+P352	IF ON SKIN: Wash with plenty of water and soap
	P501	Dispose of contents/ container to an approved waste disposal plant
Does this substance have workplace exposure limits?	Yes	
Short term	No Short term limits on safety data sheet	
Long term	6.81 mg/m ³	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	C
Control system	Containment

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	<p>Description of first aid measures</p> <p>General advice Show this safety data sheet to the doctor in attendance.</p> <p>Inhalation Remove to fresh air. IF exposed or concerned: Get medical advice/attention.</p>
	<p>Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a doctor.</p> <p>Skin contact Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a doctor.</p> <p>Ingestion Clean mouth with water. Do NOT induce vomiting. Drink 1 or 2 glasses of water. Never give anything by mouth to an unconscious person.</p>
	<p>Suitable Extinguishing Media Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.</p>
	<p>Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.</p>
	<p>Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse.</p>
	<p>Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep from freezing.</p> <p>Recommended storage temperature</p> <p>Keep at temperatures between 5 and 35 °C.</p>

Existing Control Measures	Description
	Engineering controls Ensure adequate ventilation, especially in confined areas. Always use in a well ventilated area.
	Eye/face protection Avoid contact with eyes. Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.
	Hand protection Wear protective gloves. Gloves must conform to standard EN 374. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time of the gloves depends on the material and the thickness as well as the temperature. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
	Skin and body protection Wear protective gloves and protective clothing. Avoid contact with skin, eyes or clothing. Respiratory protection During spraying wear suitable respiratory equipment.
	Waste from residues/unused products Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation. Contaminated packaging Do not reuse empty containers. Other information Waste codes should be assigned by the user based on the application for which the product was used.
	All empty packaging to be returned to region and disposed of in Drum B

Past reviews

Review date	Reviewer	Comments

Attachments

CPL – Bostik Screedmaster C500 Ultimate Part A – Safety Data Sheet.pdf – Mon 08 Dec 2025