

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL-SF30

Title	CPL-Stopgap Fast-Track 30	Date Of Assessment	Wed 10 Dec 2025
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	-		
Review date	Wed 23 Dec 2026	Reviewer	Laura Cross

Substance

Substance Name	Stopgap Fast-Track 30	
Supplier	F. Ball and Co. Ltd.	
Date of Safety Data Sheet (SDS)	Tue 06 Jun 2023	
Details of Use	Cementitious coating	
Are there any hazard symbols on the SDS?	No	
Hazard Codes & Statements	Code	Description
Does this substance have workplace exposure limits?	Yes	
Short term	No Short term limits on safety data sheet	
Long term	0.1 mg/m ³	
Is Health Surveillance required?	No	

Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)
---------------------------	---

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Solid
How dusty is the solid?	High
Hazard group	N/A
Control system	N/A

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	<p>Description of first aid measures: By inhalation: This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.</p>
	<p>By skin contact: In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet</p> <p>By eye contact: This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.</p>

Existing Control Measures	Description
	<p>By ingestion/aspiration: In case of consumption, seek immediate medical assistance showing the SDS for the product.</p>
	<p>Extinguishing media: Suitable extinguishing media: Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems Unsuitable extinguishing media: Non-applicable</p>
	<p>Personal precautions, protective equipment and emergency procedures: For non-emergency personnel: Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal</p>
	<p>Environmental precautions: This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.</p>
	<p>Methods and material for containment and cleaning up: It is recommended: Sweep up and shovel product or collect by other means and place in container for reuse (preferred) or disposal</p>
	<p>Precautions for safe handling: A.- General precautions for safe use Use in ventilated areas. Avoid the build up of dust B.- Technical recommendations for the prevention of fires and explosions Due to its non-inflammable nature, the product does not present a fire risk under normal conditions of storage, handling and use.</p>
	<p>C.- Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D.- Technical recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product</p>

Existing Control Measures	Description
	<p>Conditions for safe storage, including any incompatibilities:</p> <p>A.- Specific storage requirements Minimum Temp.: 5 °C Maximum Temp.: 30 °C</p> <p>B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5 Keep the container tightly sealed and protected from open air and humidity.</p>
	<p>Respiratory protection – Compulsory use of face mask – Filter mask for particles –Replace when an increase in resistance to breathing is observed.</p> <p>Mandatory hand protection Protective gloves against minor risks Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+A1:2018</p>
	<p>Mandatory face protection Panoramic glasses against splash/projections Clean daily and disinfect periodically according to the manufacturer’s instructions. Use if there is a risk of splashing.</p>
	<p>Waste treatment methods: Code 10 13 11 . wastes from cement-based composite materials other than those mentioned in 10 13 09 and 10 13 10 . Non-hazardous</p> <p>All empty packaging to be returned to region and disposed of in Drum B</p>

Past reviews

Review date	Reviewer	Comments

Attachments

CPL – Stopgap Fast-Track 30 Fball – Safety Data Sheet.pdf – Wed 10 Dec 2025