

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL-SAF

Title	CPL - Styccobond F49 Part A	Date Of Assessment	Tue 13 Jan 2026
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	-		
Review date	Wed 13 Jan 2027	Reviewer	Laura Cross

Substance

Substance Name	Styccobond F49 Activator Part A		
Supplier	F. Ball and Co. Ltd.		
Date of Safety Data Sheet (SDS)	Tue 03 Jun 2025		
Details of Use	Adhesive		
Are there any hazard symbols on the SDS?	Yes		
Associated hazards	Hazard		
		Caution	
		Hazardous to the aquatic environment	
Hazard Codes & Statements	Code	Description	

	H411	Toxic to aquatic life with long lasting effects
	H319	Causes serious eye irritation
	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	EUH 205	Contains epoxy constituents. May produce an allergic reaction
Precaution Codes & Statements	P264	Wash hands [and ...] thoroughly after handling
	P273	Avoid release to the environment
	P280	Wear protective gloves/protective clothing/eye protection.
	P302+P352	Wash with plenty of soap and water
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P313	Get medical advice/attention
	P501	Dispose of the contents and/or its container in line with regulations on dangerous waste or packaging and waste packaging respectively.
Does this substance have workplace exposure limits?	No	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
--	------------------------------

Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	C
Control system	Containment

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	<p>FIRST AID MEASURES ;Description of first aid measures: The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.</p> <p>By inhalation: This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. See</p>
	<p>By skin contact: Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.</p>

Existing Control Measures	Description
	<p>By ingestion/aspiration: Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.</p>
	<p>By eye contact: Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product</p>
	<p>Extinguishing media: Suitable extinguishing media:Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.</p>
	<p>Personal precautions, protective equipment and emergency procedures: For non-emergency personnel: Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection. For emergency responders: Wear protective equipment. Keep unprotected persons away</p>
	<p>Environmental precautions: Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.</p>

Existing Control Measures	Description
	<p>Methods and material for containment and cleaning up: It is recommended: Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation. Spillages in water or sea:</p>
	<p>Small spillages: Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.</p>
	<p>Large spillages: If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.</p>
	<p>Precautions for safe handling: A.- General precautions for safe use Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods</p>
	<p>B.- Technical recommendations for the prevention of fires and explosions Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.</p>
	<p>C.- Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. D.- Technical recommendations to prevent environmental risks</p>

Existing Control Measures	Description
	<p>Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.</p>
	<p>Conditions for safe storage, including any incompatibilities: A.- Specific storage requirements Minimum Temp.: 5 °C Maximum Temp.: 30 °C B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food.</p>
	<p>B.- Respiratory protection If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.</p>
	<p>Specific protection for the hands Mandatory hand protection Chemical protective gloves Replace the gloves at any sign of deterioration. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.</p>
	<p>Eye and face protection – Mandatory face protection Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer’s instructions. Use if there is a risk of splashing.</p>
	<p>Waste treatment methods:08 04 09* waste adhesives and sealants containing organic solvents or other hazardous substances Hazardous All empty packaging is to be returned to region and disposed of in Drum A</p>

Past reviews

Review date	Reviewer	Comments
-------------	----------	----------

Attachments

CPL - Styccobond F49 Activator Part A - Safety Data Sheet.pdf - Tue 13 Jan 2026