

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL-SF49PB

Title	CPL - STYCCOBOND F49 Part B BASE	Date Of Assessment	Tue 13 Jan 2026
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	-		
Review date	Wed 13 Jan 2027	Reviewer	Laura Cross

Substance

Substance Name	Styccobond F49 Part B Base		
Supplier	F. Ball and Co. Ltd.		
Date of Safety Data Sheet (SDS)	Tue 06 Jun 2023		
Details of Use	Adhesive		
Are there any hazard symbols on the SDS?	Yes		
Associated hazards	Hazard		
	 Caution		
Hazard Codes & Statements	Code	Description	
	H319	Causes serious eye irritation	

	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
Precaution Codes & Statements	P264	Wash hands [and ...] thoroughly after handling
	P280	Wear protective gloves/protective clothing/eye protection.
	P302+P352	IF ON SKIN: Wash with plenty of soap and water.
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P313	Get medical advice/attention
	P501	Dispose of the contents and/or its container in line with regulations on dangerous waste or packaging and waste packaging respectively.
	Does this substance have workplace exposure limits?	No
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	C
Control system	Containment

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	<p>Description of first aid measures: The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.</p>
	<p>By inhalation: This product is not classified as hazardous through inhalation. However, in case of intoxication symptoms it is recommended to remove the person affected from the area of exposure, provide clean air and keep at rest. Request medical attention if symptoms persist.</p>
	<p>By skin contact: Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.</p>
	<p>By eye contact: Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.</p>
	<p>By ingestion/aspiration: Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest.</p>

Existing Control Measures	Description
	<p>Rinse out the mouth and throat, as they may have been affected during ingestion.</p>
	<p>Extinguishing media: Suitable extinguishing media: Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.</p>
	<p>Environmental precautions: It is recommended to avoid environmental spillage of both the product and its container. Methods and material for containment and cleaning up: It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents.</p>
	<p>Technical recommendations for the prevention of fires and explosions Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.</p>
	<p>Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. Technical recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product</p>
	<p>Conditions for safe storage, including any incompatibilities: A.- Specific storage requirements Minimum Temp.: 5 °C Maximum Temp.: 30 °C B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food.</p>
	<p>Respiratory protection The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.</p>

Existing Control Measures	Description
	Always use in a well ventilated area.
	<p>Specific protection for the hands, Mandatory hand protection</p> <p>Chemical protective gloves Replace the gloves at any sign of deterioration.</p> <p>As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.</p>
	<p>Eye and face protection, Mandatory face protection</p> <p>Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer's instructions.</p> <p>Use if there is a risk of splashing.</p>
	<p>08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09 - Non-hazardous</p> <p>All empty packaging is to be returned to region and disposed of in Drum A</p>

Past reviews

Review date	Reviewer	Comments

Attachments

CPL - Styccobond F49 Base Part B- Safety Data Sheet.pdf - Tue 13 Jan 2026