

Designer Contracts Ltd Hazardous Substances Risk Assessment

Title	CPL – Ultrafloor Stick IT 640	Date Of Assessment	Fri 02 Jan 2026
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	–		
Review date	Sat 02 Jan 2027	Reviewer	Laura Cross

Substance

Substance Name	Ultrafloor Stick IT 640		
Supplier	Instarmac PLC		
Date of Safety Data Sheet (SDS)	Tue 21 Jan 2025		
Details of Use	water based acrylic polymer dispersion		
Are there any hazard symbols on the SDS?	No		
Hazard Codes & Statements	Code	Description	
Does this substance have workplace exposure limits?	No		
Is Health Surveillance required?	No		
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)		

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	N/A
Control system	N/A

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	<ul style="list-style-type: none"> : First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. : First-aid measures after skin contact : Wash skin with plenty of water. : First-aid measures after eye contact : Rinse eyes with water as a precaution. : First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.
	<ul style="list-style-type: none"> : Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Existing Control Measures	Description
	<p>Environmental precautions Avoid release to the environment.</p> <p>Methods for cleaning up : Take up liquid spill into absorbent material. Other information : Dispose of materials or solid residues at an authorized site.</p>
	<p>Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</p>
	<p>Storage conditions : Store in a well-ventilated place. Keep cool. Protect against frost. Storage temperature : 15 – 25 °C Storage class (LGK, TRGS 510) : LGK 12 – Non-combustible liquids</p>
	<p>Personal protection equipment, Eye protection: Safety glasses, Skin and body protection: Wear suitable protective clothing, Hand protection: Protective gloves</p>
	<p>Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment,</p>

Existing Control Measures	Description
	<p>Environmental exposure controls: Avoid release to the environment.</p> <p>Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. HP Code : HP4 – "Irritant – skin irritation and eye damage;" waste which on application can cause skin irritation or damage to the eye.</p> <p>All empty packaging to be returned to region and disposed of in Drum B</p>

Past reviews

Review date	Reviewer	Comments

Attachments

CPL – Ultrafloor Stick It 640 – Safety Data Sheet.pdf – Fri 02 Jan 2026