


Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL - Amtico Floorcare Stripper

Title	CPL - Amtico FloorCare Stripper	Date Of Assessment	Wed 15 Apr 2026
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	-		
Review date	Wed 28 Apr 2027	Reviewer	Laura Cross

Substance

Substance Name	Amtico Stripper		
Supplier	The Amtico Company Ltd		
Date of Safety Data Sheet (SDS)	Tue 19 Jan 2021		
Details of Use	Floor Polish Stripper		
Are there any hazard symbols on the SDS?	Yes		
Associated hazards	Hazard		
	 Caution		
Hazard Codes & Statements	Code	Description	
	H315	Causes skin irritation	
	H319	Causes serious eye irritation	

Precaution Codes & Statements	P102	Keep out of reach of children
	P280	Wear protective gloves/protective clothing/eye protection/Face protection.
	P302+P352	IF ON SKIN: Wash with plenty of water
	P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P332+ P313	If skin irritation occurs: Get medical advice/attention
	P337 + P313	If eye irritation persists: Get medical advice/ attention
Does this substance have workplace exposure limits?	Yes	
Short term	WEL 15ppm 101.2mg/m ³	
Long term	WEL 10 ppm 67.5 mg/M ³	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	A
Control system	General Ventilation

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	Always use in a well ventilated area
	First aid measures: Inhalation If spray/mist has been inhaled, proceed as follows. Remove person to fresh air and keep comfortable for breathing. Keep affected person under observation. Get medical attention if symptoms are severe or persist.
	Ingestion Rinse mouth thoroughly with water. Do not induce vomiting. Keep affected person under observation. Get medical attention. Skin contact After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water. Eye contact Rinse cautiously with water for several minutes. Remove any contact lenses and open eyelids wide apart. Continue to rinse. Get medical attention if any discomfort continues
	Extinguishing Media; Use fire-extinguishing media suitable for the surrounding fire.
	Accidental release measures: Avoid contact with skin, eyes and clothing. Take care as floors and other surfaces may become slippery. Do not touch or walk into spilled material.
	Avoid discharge to the aquatic environment. Avoid contamination of ponds or watercourses with washing down water. Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush contaminated area with plenty of water.
	Handling and storage: Avoid contact with skin, eyes and clothing. Avoid breathing spray. Wash promptly if skin becomes contaminated. Keep only in the original container. Container must be kept tightly closed when not in use. Storage class Chemical storage
	PPE: recommended chemical-resistant, impervious gloves are worn. made of Nitrile rubber. Rubber (natural, latex). Wear protective gauntlets made of the following material: Polyvinyl chloride (PVC). To protect hands from chemicals, gloves should comply with European Standard EN374. Wear eye protection.

Existing Control Measures	Description
	<p>Dispose of surplus products that cannot be recycled via a licensed waste disposal contractor. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Discharge of small quantities to the sewer with plenty of water may be permitted</p> <p>Waste Disposal: EWC - 16 10 04 Empty containers to be placed in regions Drum A</p>

Past reviews

Review date	Reviewer	Comments
Tue 28 Apr 2026	Laura Cross	no changes same MSDS

Attachments

Amtico Floor Care Stripper SDS.pdf - Wed 23 Apr 2025