

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL-Flexyfix

Title	CPL-Flexyfix	Date Of Assessment	Wed 22 Jul 2026
Site	Designer Contracts Ltd	Location	All Sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	–		
Review date	Thu 19 Aug 2027	Reviewer	Laura Cross

Substance

Substance Name	Flexyfix	
Supplier	Rewmar Limited	
Date of Safety Data Sheet (SDS)	Fri 14 Mar 2025	
Details of Use	Adhesive & Sealant	
Are there any hazard symbols on the SDS?	No	
Hazard Codes & Statements	Code	Description
Does this substance have workplace exposure limits?	No	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Small (<1KG or 1L)
Is the substance use a solid or liquid?	Solid
How dusty is the solid?	Low
Hazard group	N/A
Control system	N/A

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	Description of first aid measures: General: If you feel unwell, seek medical advice. After inhalation: Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service. After skin contact: Rinse with water. Soap may be used. Take victim to a doctor if irritation persists. After eye contact: Rinse with water. Take victim to an ophthalmologist if irritation persists. After ingestion: Rinse mouth with water. Consult a doctor/medical service if you feel unwell.
	Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide. Unsuitable extinguishing media : None known.

Existing Control Measures	Description
	Environmental precautions: Avoid release to the environment Methods for cleaning up: Large spills: scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling
	Precautions for safe handling; Ensure good ventilation of the work station. Wear personal protective equipment. Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Storage conditions : Store at room temperature. Store in a well-ventilated place. Keep container closed when not in use. Maximum storage period : ≈ 1 year
	Appropriate engineering controls: Ensure good ventilation of the work station. Eye protection: Safety glasses Hand protection: Protective gloves. Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment Environmental exposure controls: Avoid release to the environment.
	Regional waste regulation : Non hazardous waste. Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Sewage disposal recommendations : Do not discharge into drains or the environment. Ecological information : Avoid release to the environment. European List of Waste (LoW, EC 2000/532)

Existing Control Measures	Description
	: 08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09 15 01 02 - plastic packaging
	All empty packaging to be returned to region and disposed of in Drum A

Past reviews

Review date	Reviewer	Comments
Wed 02 Sep 2026	Laura Cross	Reviewed and information updated from new safety data sheet

Attachments

CPL - Flexyfix Adhesive - Safety Data Sheet.pdf - Tue 19 Aug 2025

CPL - Flexyfix Adhesive - Safety Data Sheet.pdf - Wed 22 Jul 2026