

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Reference:CPL-SF44

Title	CPL - Styccobond F44	Date Of Assessment	Tue 21 Jul 2026
Site	Designer Contracts Ltd	Location	All sites
Risk Assessor	Laura Cross	Assisted by	Antony Maidens
Non-Employees Involved	–		
Review date	Thu 01 Apr 2027	Reviewer	Laura Cross

Substance

Substance Name	Styccobond F44	
Supplier	F. Ball and Co. Ltd.	
Date of Safety Data Sheet (SDS)	Tue 06 Jun 2023	
Details of Use	Adhesive. For professional users only.	
Are there any hazard symbols on the SDS?	No	
Hazard Codes & Statements	Code	Description
Does this substance have workplace exposure limits?	No	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Medium (1–1000KG or 1–1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	N/A
Control system	N/A

Hazardous substances control system

Control Measure	Further Details
-----------------	-----------------

Control measures

Existing Control Measures	Description
	Description of first aid measures: Consult a doctor in case of discomfort showing the SDS for the product. By inhalation: In case of symptoms, move the person affected into fresh air. By skin contact:In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes to the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety Data Sheet
	By eye contact: Rinse with water until the product has been eliminated. In case of problems, consult a doctor showing the SDS for the product. By ingestion/aspiration: In case of consumption in large quantities, it is recommended to seek medical assistance.

Existing Control Measures	Description
	Suitable extinguishing media: Product is non-flammable, with a low risk of fire due to the flammability characteristics of the product in normal conditions of storage, handling and use. In the case of the existence of sustained combustion as a result of improper handling, storage or use any type of extinguishing agent can be used (ABC Powder, water,...) Unsuitable extinguishing media: Non-applicable
	Environmental precautions: This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water. Methods and material for containment and cleaning up: It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents
	Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
	A.- Specific storage requirements Minimum Temp.: 5 °C Maximum Temp.: 30 °C B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food.
	Respiratory protection The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.
	Mandatory hand protection Protective gloves against minor risks Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN ISO 21420:2020 and EN ISO 374-1:2016+ A1:2018

Existing Control Measures	Description
	Mandatory face protection Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
	Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container
	All empty FBall yellow tubs to be returned to region for recycling at designer contracts central distribution centre.

Past reviews

Review date	Reviewer	Comments
Wed 31 Mar 2027	Laura Cross	updated empty packaging details

Attachments

CPL - Styccobond F44 - Safety Data Sheet.pdf - Mon 23 Feb 2026