Reference:CPL – Styccobond F73 Plus

Designer Contracts Ltd

Hazardous Substances Risk Assessment

Title	CPL – Styccobond F73 Plus	**Date Of Assessment**	Thu 12 Nov 2026
Site	Designer Contracts Ltd	**Location**	All sites
Risk Assessor	Laura Cross	**Assisted by**	Antony Maidens
Non-Employees Involved	–		
Review date	Fri 12 Nov 2027	**Reviewer**	Laura Cross

Substance

Substance Name	Styccobond F73 Plus	
Supplier	F. Ball and Co. Ltd.	
Date of Safety Data Sheet (SDS)	Tue 06 Jun 2023	
Details of Use	Adhesive. For professional users only.	
Are there any hazard symbols on the SDS?	Yes	
Associated hazards	**Hazard**	
	 Caution	
Hazard Codes & Statements	**Code**	**Description**
	H210	Very sensitive
	EUH 208	Contains Trimethoxyvinylsilane. May produce an allergic reaction.

Precaution Codes & Statements	P103	Read carefully and follow all instructions
Does this substance have workplace exposure limits?	No	
Is Health Surveillance required?	No	
Routes of entry into body	Absorption (through skin/eyes), Ingestion (swallowing), Inhalation (breathing in)	

Assessment

How much is being used per batch?	Medium (1-1000KG or 1-1000L)
Is the substance use a solid or liquid?	Liquid
How volatile is the liquid?	Low
Hazard group	N/A
Control system	N/A

Hazardous substances control system

Control Measure	Further Details

Control measures

Existing Control Measures	Description
	Description of first aid measures: The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.
	By inhalation: This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication

Existing Control Measures	Description
	remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist. By skin contact: This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary show
	By eye contact: This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes. By ingestion/aspiration: In case of consumption, seek immediate medical assistance showing the SDS for the product.
	Suitable extinguishing media: Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. Unsuitable extinguishing media: IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.
	Environmental precautions: This product is not classified as hazardous to the environment. Keep product away from drains, surface and ground water.
	Methods and material for containment and cleaning up: It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents.

Existing Control Measures	Description
	Technical recommendations on general occupational hygiene Do not eat or drink during the process, washing hands afterwards with suitable cleaning products. Technical recommendations to prevent environmental risks It is recommended to have absorbent material available at close proximity to the product
	Conditions for safe storage, including any incompatibilities: A.- Specific storage requirements Minimum Temp.: 5 ºC Maximum Temp.: 30 ºC B.- General conditions for storage Avoid sources of heat, radiation, static electricity and contact with food.
	Respiratory protection The use of protection equipment will be necessary if a mist forms or if the occupational exposure limits are exceeded.Eye and face protection Pictogram PPE Remarks Mandatory face protection Panoramic glasses against splash/projections. Clean daily and disinfect periodically according to the manufacturer´s instructions. Use if there is a risk of splashing.
	Waste treatment methods: Code Description Waste class 16 03 06 organic wastes other than those mentioned in 16 03 05 Non-hazardous All Empty containers to be returned to region for recycling at Designer Contracts Distribution Centre

Past reviews

Review date	Reviewer	Comments

Attachments

CPL – Styccobond F73 Plus Safety Data Sheet.pdf – Thu 12 Nov 2026